

**UNITED STATES PATENT APPLICATION TRANSMITTAL FORM**

**BOX PCT  
COMMISSIONER FOR PATENTS  
Washington, D.C. 20231  
Attention: DO/EO/US**

Docket No.: 550.0122USQ1

Sir:

Transmitted herewith for filing is the patent application of

Applicant (s): Dennis M. Martin, Michael Traudt, Paul Attar and  
Isabella L. Morelli-Abrams

For: METHOD OF IMPROVING THE  
APPEARANCE OF EPITHELIA

International Application No.: PCT/US00/11529

International Filing Date: 28 April 2000

**ENTERING OF U.S. NATIONAL STAGE UNDER 35 U.S.C. §371**

Transmitted herewith for filing are the following documents submitted under 37 C.F.R. §1.495(b) for the purpose of entering the national stage in the United States of America as an elected office. Enclosed are:

\_\_\_\_\_ Specification and Claims with Declaration;

**XXXX** Specification and Claims *without* Declaration;

\_\_\_\_\_ 0 sheets of drawings;

\_\_\_\_\_ Preliminary Amendment;

\_\_\_\_\_ An Assignment of the invention to: **Assignee Name: Avon  
Products, Inc. Assignee Residence: New York, New York,**  
including \$40.00 recordation fee;

\_\_\_\_\_ The certified copy of a priority application;

**XXXX** Information Disclosure Statement with copies of patent(s) (Form -  
PTO-1449);

\_\_\_\_\_ Verified Statement of Small Entity (Independent Inventor);

\_\_\_\_\_ Verified Statement of Small Entity (Small Business Concern);

XXXX Priority of application PCT International Application No. PCT/US00/11529, filed on 28 April 2000 is claimed under 35 U.S.C. §119 and U.S. Patent Application 09/301,570 filed on 29 April 1999 is claimed under 35 U.S.C. §120;

XXXXX Cover page of published PCT Publication No. WO 00/66077;

XXXXX Copy of International Preliminary Examination dated 12 October 2001;

XXXXX Copy of International Search Report dated 25 July 2000.

XXXXX Copy of Written Opinion dated 18 April 2001.

XXXXX Copy of Response to Written Opinion dated 18 June 2001.

\_\_\_\_\_ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) are transmitted herewith.

The Filing Fee is calculated below.

CLAIMS AS FILED				
(1) For	(2) Number Filed	(3) Number Extra	(4) Rate	(5) Basic Fee \$710/\$740/\$890/ \$1,040
Total Claims	19 - 20 =	0	x \$18.00	\$0.00
Independent Claims	2 - 3 =	0	x \$80.00	\$0.00
Multiple Dependent Claim Fee		x \$270.00 = \$0.00		
<b>TOTAL FILING FEE</b>		<b>\$740.00</b>		
1/2 FILING FEE FOR SMALL ENTITY		<b>\$0</b>		

XXXX Firm's check in the amount of \$ 740.00 to cover the (\$740.00) filing fee is enclosed;

XXXX The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. 1.16 and 1.17 which may be required with this communication or during the entire pendency of the application, or credit any overpayment, to **Deposit Account No. 01-0467**. A duplicate copy of this Form is enclosed.

XXXX Postcard.

2013-10-29 17:17:29 29 OCT 2001

Address all future communications to: **Charles N.J. Ruggiero, Esq.**  
**Ohlandt, Greeley, Ruggiero & Perle, L.L.P.**  
**One Landmark Square, 10th Floor**  
**Stamford, Connecticut 06901-2682**  
**U.S.A.**

October 29, 2001  
Date of Signature




Charles N.J. Ruggiero, Esq.  
Attorney for Applicants  
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
Registration No. 28,468  
Telephone: (203) 327-4500  
Telefax: (203) 327-6401

**CERTIFICATE OF EXPRESS MAILING**

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Certificate No. **EV010449686US**, service under 37 CFR §1.10 and is addressed to: Box PCT, Commissioner for Patents, Washington, D.C. 20231, Attention: DO/EO/US on October 29, 2001.

Victoria E. Roeser  
(Typed name of person mailing paper)



(Signature of person mailing paper)

**UNITED STATES PATENT APPLICATION TRANSMITTAL FORM**

**BOX PCT**  
**COMMISSIONER FOR PATENTS**  
**Washington, D.C. 20231**  
**Attention: DO/EO/US**

Docket No.: 550.0122USQ1

Sir:

Transmitted herewith for filing is the patent application of

Applicant (s): Dennis M. Martin, Michael Traudt, Paul Attar and  
Isabella L. Morelli-Abrams

For: METHOD OF IMPROVING THE  
APPEARANCE OF EPITHELIA

International Application No.: PCT/US00/11529

International Filing Date: 28 April 2000

**ENTERING OF U.S. NATIONAL STAGE UNDER 35 U.S.C. §371**

Transmitted herewith for filing are the following documents submitted under 37 C.F.R. §1.495(b) for the purpose of entering the national stage in the United States of America as an elected office. Enclosed are:

\_\_\_\_\_ Specification and Claims with Declaration;

XXXX Specification and Claims *without* Declaration;

\_\_\_\_\_ 0 sheets of drawings;

\_\_\_\_\_ Preliminary Amendment;

\_\_\_\_\_ An Assignment of the invention to: Assignee Name: Avon  
Products, Inc. Assignee Residence: New York, New York,  
including \$40.00 recordation fee;

\_\_\_\_\_ The certified copy of a priority application;

XXXX Information Disclosure Statement with copies of patent(s) (Form -  
PTO-1449);

\_\_\_\_\_ Verified Statement of Small Entity (Independent Inventor);

\_\_\_\_\_ Verified Statement of Small Entity (Small Business Concern);

XXXX Priority of application PCT International Application No. PCT/US00/11529, filed on 28 April 2000 is claimed under 35 U.S.C. §119 and U.S. Patent Application 09/301,570 filed on 29 April 1999 is claimed under 35 U.S.C. §120;

XXXXX Cover page of published PCT Publication No. WO 00/66077;

XXXXX Copy of International Preliminary Examination dated 12 October 2001;

XXXXX Copy of International Search Report dated 25 July 2000.

XXXXX Copy of Written Opinion dated 18 April 2001.

XXXXX Copy of Response to Written Opinion dated 18 June 2001.

       Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) are transmitted herewith.

The Filing Fee is calculated below.

CLAIMS AS FILED				
(1) For	(2) Number Filed	(3) Number Extra	(4) Rate	(5) Basic Fee \$710/\$740/\$890/ \$1,040
Total Claims	19 - 20 =	0	x \$18.00	\$0.00
Independent Claims	2 - 3 =	0	x \$80.00	\$0.00
Multiple Dependent Claim Fee				x \$270.00 = \$0.00
<b>TOTAL FILING FEE</b>				<b>\$740.00</b>
<b>1/2 FILING FEE FOR SMALL ENTITY</b>				<b>\$0</b>

XXXX Firm's check in the amount of \$ 740.00 to cover the (\$740.00) filing fee is enclosed;


XXXX The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. 1.16 and 1.17 which may be required with this communication or during the entire pendency of the application, or credit any overpayment, to **Deposit Account No. 01-0467**. A duplicate copy of this Form is enclosed.

XXXX Postcard.

Address all future communications to: **Charles N.J. Ruggiero, Esq.**  
**Ohlandt , Greeley, Ruggiero & Perle, L.L.P.**  
**One Landmark Square, 10th Floor**  
**Stamford, Connecticut 06901-2682**  
**U.S.A.**

October 29, 2001

Date of Signature



Charles N.J. Ruggiero, Esq.

Attorney for Applicants

Ohlandt, Greeley, Ruggiero & Perle, L.L.P.

Registration No. 28,468

Telephone: (203) 327-4500

Telefax: (203) 327-6401

**CERTIFICATE OF EXPRESS MAILING**

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Certificate No. **EV010449686US**, service under 37 CFR §1.10 and is addressed to: Box PCT, Commissioner for Patents, Washington, D.C. 20231, Attention: DO/EO/US on October 29, 2001.

Victoria E. Roeser

(Typed name of person mailing paper)



(Signature of person mailing paper)

METHOD OF IMPROVING THE AESTHETIC APPEARANCE  
OF EPITHELIA

BACKGROUND OF THE INVENTION

5           This application claims priority in U.S. Patent Application Ser. No. 09/301,570, filed April 29, 1999 and PCT Patent Application Ser. No. PCT/US00/11529, filed April 28, 2000.

1. Field Of The Invention

10           The present invention relates to a method of improving or re-moisturizing the epithelia. More particularly, the present invention relates to a method of improving lip color and reducing the number and depth of lip lines on the surface of the lips, as well as re-moisturizing the vagina and lips. This is achieved by using a composition comprising a retinoid, such  
15 as retinol, and a penetration enhancing agent in a cosmetically acceptable carrier. The present invention also relates to a composition, which comprises a retinoid, and to a process for preparing the composition.

2. Description Of The Prior Art

20           Retinol is known for its beneficial effects in the treatment of acne. In the field of repair of damage caused either by age or overexposure to the sun, retinol has been proven beneficial. Repeated application of cosmetic compositions containing retinol has been used to smooth the skin surface, repair small cracks in the epidermis and to remove wrinkles or minimize the  
25 formation thereof.

          Because the anatomy and physiology of vagina and the lips differ greatly from the anatomy and physiology of skin proper, the use of retinol for re-moisturizing, treating a color deficiency and/or treating vertical lines,  
30 does not have an obvious correlation to skin aging pathologies. As known in the art, vertical lip lines are visually distinguishable from general wrinkling of the lips. As the term "vertical" implies, vertical lip lines appear

as substantially vertical creases, whereas "wrinkling" has no such discernible form.

However, it is well known that orally administered retinoids, such as, for example, retinol and retinoic acid, dry out the epithelia and cause  
5 cornification of mucosal epithelia.

Research on beneficial effects of retinol has been directed to cosmetic "skin" to produce a reduction in wrinkles and other skin effects related to or resulting from aging. However, there are no reports relating to  
10 a method of re-moisturizing the epithelia, improving lip color or reducing the number and depth of lip lines, particularly vertical lip lines, using retinol. Moreover, there are no reports of reversing age-associated cornification of the vaginal or lip epithelia.

Surprisingly, it has been discovered that topically applying a composition including retinoid, such as retinol, and a penetration enhancing agent to mucosal or semi-mucosal epithelium that is dried out and/or cornified, re-moisturizes the epithelium. Furthermore, with repeated application, the cornified epithelia returns to its original mucosal state.  
15

20

Related U.S. Patent Nos. 5,656,672 and 5,800,596 provide a water-in-oil emulsion cream, containing retinol, for use as a nourishing and repairing care product for damaged and wrinkled lips.

U.S. Patent No. 4,826,828 is directed to a water-in-oil emulsion containing retinol, a volatile silicone and a solvent for both the retinol and the volatile silicones. This patent also provides preparation of a retinol emulsion by adding a solution containing retinol to a water-in-oil emulsion. However, to avoid degradation, the retinol is added to the emulsion just  
25 prior to or at the time of use. It is apparent that the stability of retinol in a composition of this type is insufficient for prolonged storage prior to use.  
30



U.S. Patent No. 5,124,313 provides topical compositions having a retinyl ester-polypeptide complex, specifically a retinyl palmitate-polypeptide complex.

5 WO 93/00085 provides stabilization of retinol in cosmetic compositions by addition to the latter a stabilizing complex comprising, in combination, an antioxidant and a chelating agent for chelating metal ions. The stability of the retinol appears enhanced due to considerable amounts of stabilizing antioxidants and chelating agents in the composition.

10 WO 97/02814 provides the preparation of an antibacterial medicament containing a retinoid for rapid bactericidal action, particularly on Gram positive bacteria, which accelerates the repair of small lesions.

15 WO 97/02030 provides cosmetic, antimycotic compositions containing a glycol or glyceryl ester of retinoic acid. These compositions are used to produce visible reduction in wrinkles and visible improvement in tone, firmness and luminosity of skin.

20 Thus, there has been a need for a topical retinol composition that provides a method for restoring the aged, cornified vaginal epithelia and cornified human lips to their original mucosal state.

#### SUMMARY OF THE INVENTION

25 It is an object of the present invention to provide a method of re-moisturizing epithelia, comprising topically applying to vaginal or lip epithelia an effective amount of a composition comprising a retinoid. The composition can further comprise a cosmetically acceptable carrier.

30 It is another object of the present invention to provide such a method of re-moisturizing vaginal and lip epithelia in older women,

improving lip color, lip clarity and lip dryness, and reducing the number and depth of lip lines.

5 It is yet another object of the present invention to provide a composition that can be used to re-moisturize vaginal and lip epithelia in older women and improve lip color, lip clarity and lip dryness, and reducing the number and depth lip lines.

10 These and other objects of the present invention will become apparent in the course of the following description of the preferred embodiments.

#### BRIEF DESCRIPTION OF THE DRAWINGS

15 Figure 1 is a plot of the average scores for dryness of lips;

Figure 2 is a plot of the average scores for dry appearance of lips;

Figure 3 is a plot of the average scores for clarity of lips;

20

Figure 4 is a plot of the average scores for color of lips;

Figure 5 is a plot of the average scores for line quantity of lips; and

25 Figure 6 is a plot of the average scores for line depth of lips.

#### DETAILED DESCRIPTION OF THE INVENTION

The anatomy and physiology of vagina and the lips of one's mouth differ in many ways from "skin" proper. Because of such differences, the use of a composition having a retinoid, such as retinol, for treating vaginal and lip dryness or treating color deficiency and/or lines of the lip is not an obvious correlation to the treatment of aging pathologies associated with

30

other types of skin. Thus, the present invention is the first to demonstrate a clinical benefit when applied topically to a vaginal epithelium and to a semi-mucosal epithelium, which is within and up to the vermilion border of the lips. In addition, the present invention is the first to demonstrate that the aesthetic appearance of epithelia is improved by applying a topical composition having both a retinoid, particularly retinol, in an amount effective to improve the aesthetic appearance of the epithelial and a penetration enhancing agent in an amount effective to enhance penetration of the retinoid into the epithelia. The applicants have unexpectedly discovered an effective method for improving human lip color (i.e., increasing redness) and reducing the number and depth of lip lines (i.e., line quantity), as well as re-moisturizing vaginal and lip epithelia in older women. As used in the context of the present invention, the term "older" refers to post-menopausal women and/or women who suffer from age-related vaginal and lip dryness or cornification.

When used as a vaginal treatment for re-moisturizing vaginal epithelia, the method of the present invention must be applied almost exclusively to older women who are experiencing routine vaginal dryness. The composition is preferably applied daily to inner surfaces of the vagina, before bedtime.

Without being bound by any theory, it is believed that, as they age, epithelial cells may lose responsiveness to circulating retinoids, such as retinol, causing a fundamental change in the structure of the cells, i.e., squamous metaplasia. With a supply of excess retinoid available to the cells, the cells respond and return to their mucosal state. The penetration enhancing agent provides improved delivery of the retinoid to the "active" site located at the epithelial cell.

A beneficial re-moisturizing effect is obtained on repeated application of the composition to the vaginal epithelia. To produce the

beneficial re-moisturizing effect of the method of the present invention, the composition is preferably applied to the vaginal epithelia in the form of a cream.

5           On repeated application of the composition to the lips, particularly aging lips, in accordance with the method of the present invention, a visible improvement in lip condition, moisturization, color, clarity and a measurable reduction in the number and depth of lip lines is observed within a short period of time, which can be as little as two (2) weeks, when applied once  
10       or twice a day. The improvement in the color of the lips is manifested by an increase in the redness of the lips, whereas the reduction in the number of lines is directly measured and reduction in the dryness and depth of the lines estimated by direct observation as described below.

15           In the context of the present invention, the term retinoid includes the following classes of compounds: retinol; esters of retinol with carboxylic acids of 1 to 24 carbon atoms, such as retinyl acetate, retinyl propionate, retinyl butyrate, retinyl octanoate, retinyl laurate, retinyl palmitate, retinyl oleate, retinyl linoleate; esters of retinol with alpha-hydroxy carboxylic  
20       acids; ether derivatives of retinol, including alkyl ethers, ethers derived from glycolic acid and glycolate esters and amides, such as retinyl glycolyl ether (retinyl glycolic acid ether); retinaldehyde; retinoic acid; esters of retinoic acid with alcohols of 1 to 24 carbon atoms; isotretinoin as well as synthetic retinoid mimics, and derivatives of the foregoing, as well as  
25       others that bind to RAR receptors; cis- and trans-isomers thereof; salts thereof; and mixtures thereof. Preferably, the retinoid is retinol. More preferably, the retinoid is the trans-isomer of retinol. Retinol may be prepared by well-known methods such as those described in U.S. Patent No. 3,060,229, the content of which is incorporated herein by reference.

30           Retinyl esters, which generally are less potent than other retinoids, are less preferred retinoids for the purposes of the present invention.

Specifically, retinyl ester-polypeptide complexes, such as those described in U.S. Patent No. 5,124,313, are not contemplated as retinoids within the context of the present invention.

5           The amount of retinoid in the composition of the present invention is preferably in the range from about 0.001 to about 1.5 weight percent (wt%) of the total composition, more preferably from about 0.06 wt% to about 0.3 wt%, and most preferably about 0.1 wt% to about 0.2 wt% of the composition. However, as stated above, the amount of retinoid may be  
10       adjusted, based upon the potency of the retinoid, without departing from the present invention.

          The penetration enhancing agent is present in an amount effective to either enhance the penetration of the selected retinoid into the epithelia or increase the rate (i.e., speed) of penetration of the selected retinoid into  
15       the epithelia. Preferably, the penetration enhancing agent does both. The selection of the penetration enhancing agent will depend on formulation factors, such as the chemical properties of the selected retinoid and the vehicle (e.g., solution, emulsion, stick). Non-limiting examples of such  
20       penetration enhancing agents include: organic solvents, such as ethanol, glycols (e.g., propylene, butylene, pentylene), pyrrolidones (e.g., 2-pyrrolidone, 1-methyl-2-pyrrolidone, 5-methyl-2-pyrrolidone, 1,5-dimethyl-2-pyrrolidone, 1-ethyl-2-pyrrolidone, 2-pyrrolidone carboxylic acid), dimethyl sulfoxide, dimethylacetamide, and dimethylformadide); alkyl sulfoxide;  
25       phosphine oxide; sugar esters (e.g., sucrose acetate, sucrose octanoate); anionic surfactants; nonionic surfactants; Azone™ (e.g., 1-dodecylazacloheptan-2-one); N-substituted di-isopropanolamines; fatty acids (e.g., oleic acid, linoleic acid); and mixtures thereof. Additional resources are available to those in the art to assist with the selection of the penetration  
30       enhancing agent. One such resource is available at pages 160 through 172 of Dermatological Formulations, B.W. Barry (Marcel Decker, 1983), which is incorporated herein by reference.

In addition to the retinoid and the penetration enhancing agent, the composition of the invention can contain a cosmetically acceptable carrier. The carrier can be water, a humectant, a thickener, a gelling agent, an oil, an emulsifier, or mixtures thereof. The resulting composition can be in the form of a cream, dispersion, emulsion, foam, gel, solution, stick suspension, spray, patch, powder or in a towelette. The emulsion can be either an oil-in-water emulsion or a water-in-oil emulsion.

Preferably, the retinoid is formulated into an appropriate vehicle consistent with consumer requirements. For example, the composition can preferably be formulated as a stick or cream for treatment of the lips. For the treatment of the vaginal epithelia, the composition would preferably be formulated as a cream.

The oil phase of the emulsion preferably has one or more organic compounds, including emollients. The aqueous phase has humectants, such as propylene glycol and glycerin; other water-dispersible or water-soluble components including thickeners such as veegum or hydroxyalkyl cellulose; gelling agents, such as high MW polyacrylic acid, i.e. carbopol 934; and mixtures thereof. The emulsion has one or more emulsifiers capable of emulsifying the various components present in the composition, including the retinoids. Because of the light, heat and air sensitivity of retinoids, retinoids are generally added last in the preformed emulsion so as to minimize exposure to light, heat and oxygen.

Non-limiting examples of organic compounds suitable for use in the oil phase include emollients, skin conditioning agents, solvents that are capable of dissolving retinol or retinoids without reducing the stability thereof, and mixtures thereof. The compounds suitable for use in the oil phase include one or more of the following: an alcohol including cetyl alcohol; ester including cetyl recinoleate, sterol esters; carboxylic acid; mineral oil; wax; hydrocarbon; paraffin; isoparaffin; petrolatum; low taste

petrolatum for application on lips; hydrogenated polydecene; silicone-containing compound such as dimethyl polysiloxane; and mixtures thereof.

5 The emulsifier can be an emulsifying wax, an emulsifying polyhydric alcohol, a polyether polyol, a polyether, a mono- or di-ester of a polyol, an ethylene glycol mono-stearate, a glycerin mono-stearate, glycerin di-stearate, a silicone-containing emulsifier, a soya sterol, a fatty alcohol such as cetyl alcohol, a fatty acid such as stearic acid, a fatty acid salt, and mixtures thereof. The preferred emulsifiers include soya sterol, cetyl  
10 alcohol, stearic acid, emulsifying wax, and mixtures thereof.

The emulsifying waxes that are suitable for use in the present invention are well known to persons skilled in the art. The emulsifying wax includes compositions such as those containing about 80 wt% cetearyl  
15 alcohol, about 10 wt% polysorbate 60, about 5 wt% stearate, and about 5 wt% steareth-20.

In the emulsion, the aqueous phase is preferably from about 60 wt% to about 90 wt%, the oil phase is preferably from about 5 wt% to about 30  
20 wt% of the emulsion, and the emulsifier is preferably from about 5% to about 10 wt% of the emulsion.

The emulsion according to the present invention has pH preferably in the range from about 6.5 to about 7.5.

25 The composition according to the present invention can be prepared by dissolving a retinoid, such as retinol, in a medium comprising an organic solvent, and optionally water, and adding the resulting homogeneous solution to the emulsion. The composition produced thereby preferably  
30 has from about 0.001 wt% to about 1.0 wt% retinol, on an active basis, and about 0.5 wt% to about 1.0 wt% organic solvent. More preferably, the composition has from about 0.06 wt% to about 0.3 wt% retinol.

The present invention includes a process for preparing a composition comprising a retinoid, such as retinol, in the form of a cream, dispersion, emulsion, foam, gel, solution, stick or suspension.

5           The process for preparing a composition for re-moisturizing epithelia, comprises:

- preparing a first mixture comprising water, a humectant, a thickener, and a gelling agent;
- 10           preparing a second mixture comprising an oil and an emulsifier;
- adding the second mixture and the first mixture together, preferably mixing the second mixture in the first mixture, at a temperature and period of time sufficient to produce a stable emulsion;
- cooling the stable emulsion; and
- 15           adding a retinoid to the stable emulsion to produce the composition.

In addition, the present invention may include a secondary component. The secondary component is preferably selected from one or more of the following thirteen groups.

20

1. Rexinoids: Rexinoids include compounds, such as all-trans retinoic acid, 9-cis retinoic acid, phytanic acid and others, that bind to RXR receptors.

25

2. An estrogen synthetase (aromatase) stimulating compound: Examples of such a compound include caffeine and/or derivatives thereof, and any mixture thereof. Caffeine is the more preferred of such compounds.

30

3. A compound capable of inhibiting 5 alpha-reductase activity: Examples of such a compound include linolenic acid, linoleic acid, finasteride, and mixtures thereof.



4. An exfoliation promoting compound: Suitable examples include alpha hydroxy acids; beta hydroxy acids; oxa acids as disclosed in U.S. Patent No. 5,847,003 (the disclosure of which is incorporated herein by reference); oxa diacids as disclosed in U.S. Patent No. 5,834,513 (the disclosure of which is incorporated herein by reference); mechanical exfoliation compounds, such as bamboo exfoliant extract; salicylic acid; benzoyl peroxide; keto acids, such as pyruvic acid, 2-oxopropanoic acid, 2-oxobutanoic acid, and 2-oxopentanoic acid; and mixtures thereof.

The preferred exfoliation promoting compounds are lactic acid, glycolic acid, 3,6,9-trioxaundecanedioic acid, and any mixture thereof. When the present invention includes an exfoliation promoting compound, the composition comprises about 1 wt% to 20 wt%, preferably about 1 wt% to about 15 wt%, more preferably about 4 wt% to about 10 wt% acid, and most preferably about 4 wt%, of the exfoliation promoting compound.

5. An ultraviolet (UV) light protecting/sunscreen agent: Examples include organic and inorganic sunscreens, such as titanium dioxide, zinc oxide, methyl benzylidene camphor and/or its derivatives, octocrylene, anthranilates, benzophenones, butylmethoxydibenzoylmethane (avobenzene), naphtholsulphonates, benzoic acid derivatives, salicylates, cinnamic acid derivatives, terephthalylidene dicamphor sulfonic acids, and mixtures thereof. Of these, butylmethoxydibenzoylmethane, octocrylene, octylsalicylate, octylmethoxycinnamate, oxybenzone, titanium dioxide, and mixtures thereof are preferred. Butylmethoxydibenzoylmethane, oxybenzone, octylmethoxycinnamate, terephthalylidene dicamphor sulfonic acids, and mixtures thereof are most preferred. Salts, esters and other derivatives of the aforementioned sunscreen agents, which are compatible with the composition, are also contemplated in practicing the present invention. A preferred UV absorber includes a hydroxybenzophenone

derivative, a benzotriazole derivative, a dibenzoyl methane derivative, an oxanilide derivative, a hydroxy cinnamate derivative, and mixtures thereof.

Co-formulation with an ultraviolet light protecting/sunscreen agent is particularly desirable when the present invention is used for treating lip epithelia, particularly for users who engage in activities, particularly outdoor activities, which expose the user's lip epithelia to UV radiation. Non-limiting examples of such activities include indoor tanning, sunbathing, and skiing. It is preferred that the sunscreen comprises from about 2 wt% to about 20 wt%, more preferably about 2 wt% to about 15 wt%, of the total weight of the composition.

6. Barrier function enhancing agents: Examples include ceramides; essential fatty acids and their esters, especially glycerides,  $\alpha$ -hydroxy fatty acids and their esters,  $\omega$ -hydroxy fatty acids and their esters; phospholipids; cholesterol and its esters, such as cholesteryl hemisuccinate, cholesteryl phosphate; and cholestanol and its derivatives. The barrier function enhancing agent can be added to a topical composition either as singular molecular entities or as a complex mixture of lipids derived from either synthetic, animal or plant sources.

7. Collagen enhancing agents: These agents prevent epithelia "sagging" by promoting a net increase in collagen, either by reducing collagen breakdown or by promoting collagen formation. Examples of such agents include Clara extract (*Sophora augustifolia*), ascorbyl-phosphoryl-cholesterol, ascorbic acid, ascorbic acid derivatives, and mixtures thereof.

8. Elastase inhibitors: Examples of these inhibitors include fatty acids, such as oleic acid, perinoric acid, and Honeysuckle extract (*Lonicera caprifolium*). These inhibitors act to prevent sagging of the epithelia.

5 9. Skin lightening agents: Examples include kojic acid, hydroquinone, licorice derivatives, ascorbic acid/ascorbic acid derivatives (e.g. magnesium ascorbyl phosphate), arbutin, bearberry (*Arctostaphylos uva ursi*), *Glycyrrhiza glabra* and its derivatives, *Chlorella vulgaris* extract, and mixtures thereof.

10 10. Antioxidants: Examples include compounds having phenolic hydroxy functions, such as ascorbic acid, ascorbic acid derivatives; gallic acid derivatives (e.g. propyl gallate); ferulic acid derivatives (e.g. ethyl ferulate, sodium ferulate); nitrones; N-tertbutyl-nitrone; I-(4-pyridyl-1-oxide)-N-tertbutyl-nitrone; curcumin, tetrahydrocurcumin; 6-hydroxy-2,5,7, tetramethylchroman-2-carboxylic acid; uric acid; reductic acid; tannic acid; rosmarinic acid; tocopherol and its derivatives; catechins; and mixtures thereof. Other suitable antioxidants are those that have one or  
15 more thiol functions (-SH), in either reduced or non-reduced form, such as glutathione, lipoic acid, thioglycolic acid, and other sulfhydryl compounds. The antioxidant may be inorganic, such as sulfites, bisulfites, metabisulfite, or other inorganic salts and acids containing sulfur. Preferably, the antioxidant is selected from the group consisting of: a phenolic antioxidant  
20 such as butylated hydroxytoluene; butylated hydroxyanisole; an alkyl paraben such as methyl, ethyl or propyl paraben; and any mixtures thereof.

25 11. Skin warming agents: Examples include vanillyl butylamid, capsaicin, and mixtures thereof.

30 12. Skin cooling compounds: Examples include menthol, menthyl glycerol, asymmetrical carbonates, thiocarbonates and urethanes, N-substituted carboxamides, ureas or phosphine oxides, menthyl lactate, menthone glycerine acetal, and any mixtures thereof.

13. Anti-pruritic/Anti-itch compounds: Non-limiting examples of such compounds include capsaicin, nonivamide, and corticosteroids. Co-formulation with an anti-pruritic/anti-itch compound may be desirable when the present invention is applied to itchy vaginal epithelia. A non-limiting example of when such co-formulation may be desirable includes when the user has a concurrent condition commonly referred to as a yeast (*Candida albicans*) infection.

The addition of the secondary component enhances the dermatological benefits achieved and the utilization for compositions of the present invention. The compositions of the present invention may include at least two secondary components, with each secondary component being selected from a different group.

The compositions of the present invention can include other cosmetic and pharmaceutical actives and excipients. Such suitable cosmetic and pharmaceutical agents include, but are not limited to, one or more of erythromycins, tetracyclines, salicylic acids, antifungals, vitamins, anti-inflammatory agents, antimicrobials, analgesics, nitric oxide synthase inhibitors, self-tanning agents, surfactants, moisturizers, stabilizers, preservatives, antiseptics, chelating agents, thickeners, emulsifiers, lubricants, humectants, chelating agents, skin penetration enhancers, skin cooling agents, emollients, fragrances, colorants, flavoring agents, pigments, and mixtures thereof.

Other conventional constituents including cosmetic and pharmaceutical additives may be added to the composition. These additives include: vitamins, such as tocopherol and ascorbic acid; vitamin derivatives such as ascorbyl monopalmitate; thickeners such as hydroxyalkyl cellulose; gelling agents; structuring agents such as bentonite, smectite, magnesium aluminum silicate and lithium magnesium silicate;

metal chelating agents such as EDTA; pigments such as zinc oxide and titanium dioxide; colorants; emollients; and humectants.

When the present invention is used to improve the aesthetic appearance of lip epithelia, the compositions of the present invention may be non-pigmented or pigmented. Lip compositions, such as lipsticks, often have pigments incorporated therein. An example of a pigment is iron oxides. However, when the composition is pigmented, it is preferred that the composition includes an ascorbyl-phosphoryl-cholesterol (APC) compound. Examples of suitable APC compounds are disclosed in WO 97/42960, which is commonly assigned and is incorporated herein by reference.

The addition of an APC compound in pigmented compositions of the present invention is particularly desirable when the pigment is an iron oxide. An example of such a pigmented composition may have from about 0.2 wt% to about 20 wt% of iron oxides in addition to the APC compound. One preferred example of such a topical composition has from about 5 wt% to about 7 wt% of iron oxides and about 1 wt% of the APC compound in a suitable vehicle. In the preferred example, the iron oxides are selected from the group consisting of iron oxide red 2259-preserved, iron oxides (yellow), iron oxides (black), and mixtures thereof. Additional advantages of including an APC compound are set forth in PCT WO 00/06091, which is commonly assigned and is incorporated herein by reference.

When the present invention is applied to lip epithelia, particularly in the form of a pigmented composition, it is preferred that the weight percentage of retinoid in the pigmented composition is adjusted to accommodate numerous re-application as may occur with topical lip compositions, such as lipsticks and lip balms.

Compositions of the present invention can be applied to epithelia for a period of time to improve the aesthetic appearance of the epithelia. The improvement in aesthetics can include at least one of the following:

- a. reducing intrinsic aging;
- 5 b. reducing photoaging;
- c. decreasing epithelial fragility;
- d. preventing and reversing loss of collagen;
- e. preventing epithelial atrophy;
- f. promoting/accelerating cell turnover;
- 10 g. improving epithelial firmness/plumpness;
- h. improving epithelial texture;
- i. decreasing fine lines;
- j. decreasing wrinkles;
- k. improving epithelial tone;
- 15 l. enhancing epithelial thickness;
- m. increasing moisture retention;
- n. minimizing epithelial discoloration; and
- o. reversing age-associated cornification of epithelia.

20 Other improvements in the aesthetic appearance of epithelia are provided by the present invention. The above improvements are only examples of the improvements made possible by the present invention and are set forth for illustration only.

25 The Examples that follow are intended for illustrating the present invention and not for limiting the scope thereof.

#### Clinical Study Results

30 Efficacy of retinol-containing creams in reducing visible signs of aging lips was demonstrated as follows.

Two lip creams, Lip Cream A containing 0.15% active retinol and Lip Cream B containing 0.30% active retinol were prepared as shown below in TABLE 1.

5

TABLE 1  
Preparation Of Lip Cream A And Lip Cream B

	<u>INGREDIENTS (Wt%)</u>	<u>LIP CREAM A</u>	<u>LIP CREAM B</u>
	<u>Retinol Cream</u>		
10	Retinol	0.30	0.15
	Acrylates Copololymer	1.10	0.55
	Carbopol/thickeners	0.90	0.90
	Disodium EDTA	0.20	0.20
	Glycerin	5.00	5.00
15	Propylene Glycol	0.56	0.56
	Emollients	13.50	13.50
	Emulsifiers	8.50	8.50
	Preservatives	1.40	1.40
	Anti-oxidants	0.10	0.10
20	Triethanolamine	1.00	1.00
	Demineralized Water	qs	qs

The study was a double blind monadic design. A total of 36 female subjects who met the inclusion criteria ranging in age from 33 to 64 years were selected for this study. The subjects were in good general health, with no known allergies or sensitivities to lip products. The subjects had skin types I–III (predominantly I–II), were not pregnant or nursing, had full lips, exhibiting acceptable appearance of aging lips, including paleness, mild dryness and flaking of the surface, and some vertical lines, but not premature aging.

Each subject's lips were visually examined (baseline examination) and signs of dryness, flaking, paleness, fullness and lip lines were recorded.

5           The subjects were randomly divided into two groups and each group was asked to use one Lip Cream once a day, at night, shortly before bedtime, after cleansing their face prior to using the Lip Cream. They were asked to apply a small amount of product onto a finger and spread the product on both the upper and lower lip, avoiding the outer edges of the  
10       lips, with the lips closed, to avoid getting the product into the mouth. The use of usual lip products such as lipstick and/or lip balm was permitted except on examination days.

              At baseline the following visual parameters were graded (5-point  
15       subjective scoring):

- (1)    Dryness (flaking): 0=no visible flakes, 5=severe flaking;
- (2)    Dry appearance (visible tightness): 0=none, 5=severe;
- (3)    Color: 0=very pale, 5=dark red;
- (4)    Clarity (transparency): 0=clear, 5=highly opaque;
- 20    (5)   Number of lines: 0=none, 5=numerous; and
- (6)   Depth of lines: 0=shallow, 5=deep.

              Lip Cream A and Lip Cream B were then dispensed and use instructions administered. Briefly, subjects were instructed to apply the test  
25       product to their lips once a day, before bedtime.

              Subjects returned for follow-up visual grading after 2, 4 and 8 weeks. In addition, 35mm frontal lip photos were taken at baseline and after 8 weeks. Finally, a self-perception questionnaire was administered at  
30       8-weeks.



TABLE 2 compares the average visual scores of the two treatment groups.

**TABLE 2**  
Efficacy of Retinol-Containing Creams in  
Reducing Visible Signs of Aging Lips  
Average Visual Scores

Feature Evaluated	Week	FORMULA A 0.3% Retinol Mean (N=18)	FORMULA B 0.15% Retinol Mean (N=18)
Dryness	0	1.00	1.06
	2	1.09	1.08
	4	0.44	0.56
	8	0.34	0.58
Dry Appearance	0	2.41	2.58
	2	2.44	2.53
	4	1.63	1.83
	8	1.09	1.36
Clarity	0	3.84	3.86
	2	3.53	3.58
	4	2.69	2.89
	8	1.91	2.00
Color	0	1.84	1.86
	2	2.06	2.06
	4	2.69	2.50
	8	3.09	2.83
Number of Lines	0	3.22	3.31
	2	3.09	3.17
	4	2.75	2.89
	8	2.31	2.47
Line Depth	0	1.84	2.03
	2	1.69	1.75
	4	1.50	1.67
	8	1.28	1.50

From the results obtained, it can be seen that:

- 10 (1) there was no statistical difference between the two treatment groups;
- (2) both Lip Creams were clinically well tolerated without any adverse clinical response attributable to the use of Lip Cream A or Lip Cream B;
- 15 (3) all parameters improved after 8 weeks;
- (4) most parameters improved at 4 weeks, except number of lines, dryness and the 0.15% retinol (Formula B) line depth score; and

(5) the percent improvement, calculated from the average scores within an interval, was always numerically superior for Lip Cream A containing 0.3% retinol than for Lip Cream B containing 0.15% retinol.

5 Calculation of percent improvement for Lip Cream A containing 0.3% retinol revealed a 68% improvement in lip color and 28% reduction in the number of vertical lip lines and 30% reduction in the depth of vertical lip lines within 8 weeks of treatment.

10 While the difference in efficacy between Lip Cream A and Lip Cream B was not large, the magnitude of improvements in dryness, dry appearance, color, clarity and lines of the lips obtained from Lip Cream A containing 0.3% retinol was greater for all measured parameters. In addition, both Lip Cream A and Lip Cream B were clinically well tolerated.

15 Figures 1 through 6 chart the average scores for each parameter. These graphs demonstrate that, for all parameters, the most dramatic improvement was observed between 2 and 4 weeks of Lip Cream use.

20 Features associated with aging lips, including dryness (flaking/taut), dry appearance, color, clarity and number and depth of lines were all significantly improved by the use of the retinol-containing Lip Cream A and Lip Cream B according to the present invention.

25 Obvious modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that such modifications not specifically described herein are within the scope of the appended claims. Also, singular used in the application can also mean plural of the same ingredient.

30

## CLAIMS

WHEREFORE, IT IS CLAIMED:

1. A method of improving the aesthetic appearance of epithelia  
5 comprising:  
    applying to the epithelia a topical composition comprising:  
        a retinoid in an amount effective to improve the aesthetic  
        appearance of the epithelia; and  
        a penetration enhancing agent in an amount effective to  
10 enhance penetration of said retinoid into the epithelia,  
        wherein said topical composition is applied to the epithelia for  
        period of time effective to provide the improvement.
- 15 2. The method of claim 1, wherein the epithelia is selected from the  
    group consisting of lip epithelia and vaginal epithelia.
3. The method of claim 2, wherein the epithelia is lip epithelia.
- 20 4. The method of claim 1, wherein the improvement in aesthetic  
    appearance is a reduction in the appearance of aging of the lips.
5. The method of claim 4, wherein the aging of the lips is photoaging  
    or intrinsic aging.
- 25 6. The method of claim 4, wherein the improvement in aesthetic  
    appearance is selected from the group consisting of:
  - a. improvement in lip color;
  - b. improvement in lip dryness;
  - 30 c. improvement in lip clarity;
  - d. reduction in the number vertical lip lines;
  - e. reduction in the depth of vertical lip lines;

- f. improvement in lip dryness appearance; and
- g. combinations thereof.

7. The method of claim 1, wherein said retinoid is in amount from  
5 about 0.001 wt% to about 1.5 wt% of the total weight of the composition.

8. The method of claim 1, wherein said retinoid is retinol.

9. The method of claim 1, wherein the penetration enhancing agent is  
10 selected from the group consisting of: an organic solvent, an alkyl  
sulfoxide, a phosphine oxide, a sugar ester, an anionic surfactant, a non-ionic  
surfactant; an Azone, a N-substituted di-isopropanolamine, a fatty acid  
alcohol, and mixtures thereof.

15 10. The method of claim 1, wherein the penetration enhancing agent is  
selected from the group consisting of ethanol, propylene glycol, butylene  
glycol, pentylene glycol, 2-pyrrolidone, 1-methyl-2-pyrrolidone, 5-methyl-2-  
pyrrolidone, 1,5-dimethyl-2-pyrrolidone, 1-ethyl-2-pyrrolidone, 2-pyrrolidone  
carboxylic acid, dimethyl sulfoxide, dimethylacetamide, dimethylformamide;  
20 alkyl sulfoxide; phosphine oxide; sucrose acetate, sucrose octanoate, 1-  
dodecylazoclo-heptan-2-one, oleic acid, linoleic acid, and mixtures thereof.

11 The method of claim 1, wherein the composition further comprises a  
cosmetically acceptable vehicle.

25

12. The method of claim 11, wherein the vehicle is selected from the  
group consisting of: an emulsion, a gel, and a stick, a suspension, a foam,  
a stick, a solution, a spray, a patch, a powder and a towelette.

30 13. The method of claim 1, wherein the composition has a pH less than  
about 7.5.

14. The method of claim 11, wherein the vehicle is anhydrous.

15. The method of claim 1, wherein said topical composition further comprises a secondary component selected from the group consisting of:

- a. a rexinoid;
- b. an estrogen synthetase (aromatase) stimulating compound;
- 5 c. a 5 alpha-reductase activity inhibitor;
- d. an exfoliation promoting compound;
- e. an ultraviolet (UV) light protecting/sunscreen agent;
- f. a barrier function enhancing agent;
- g. a barrier function enhancing agent;
- 10 h. an elastase inhibitor;
- i. a skin lightening agent;
- j. an antioxidant;
- k. a skin warming agent;
- l. a skin cooling compound; and
- 15 m. an anti-pruritic/anti-itch compound.

16. The method of claim 15, wherein the secondary component is said sunscreen.

20 17. The method of claim 16, wherein said sunscreen is selected from the group consisting of:

- a. avobenzone;
- b. octylmethoxycinnamate;
- c. oxybenzone;
- 25 d. titanium dioxide;
- e. octyl salicylate; and
- f. mixtures thereof.

18. A composition for improving the aesthetic appearance of epithelia comprising:

a retinoid in an amount effective to improve the aesthetic appearance of the epithelia; and

5 a penetration enhancing agent in an amount effective to enhance penetration of said retinoid into the epithelia.

19. The composition of claim 18, further comprising a sunscreen agent selected from the group consisting of :

- 10
- a. avobenzone;
  - b. octylmethoxycinnamate;
  - c. titanium dioxide;
  - d. octyl salicylate; and
  - e. mixtures thereof.


15

## ABSTRACT OF THE DISCLOSURE

An effective treatment method for improving the appearance of epithelia, such as lip epithelia and vaginal epithelia is provided. According to the present method, an effective amount of a composition containing  
5 retinoid, preferably in a cosmetically acceptable carrier, is topically applied to the vaginal or lip epithelia. The present invention also includes compositions for practicing the method.

1/6


Figure 1






2/6

Figure 2



3/6

Figure 3



4/6

Figure 4




Figure 5





Figure 6



## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Docket No. 550.0122USQ1

As below named inventors, we hereby declare that:

Our residences, post office addresses and citizenships are as stated below next to our respective names.

We believe we are the original, and first joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## METHOD OF IMPROVING THE AESTHETIC APPEARANCE OF EPITHELIA

the specification of which

(check one) \_\_\_\_\_ is attached hereto.

**XXX** was filed on April 28, 2000 as Application Serial No. 10/018,128 and was amended on \_\_\_\_\_ (if applicable).

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

We acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to us to be material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate(s) listed below and have also identified below any foreign application(s) for patent or inventor's certificate(s) having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>			<u>Priority Claimed</u>
<u>PCT/US00/11529</u> ✓ (Number)	<u>PCT</u> (Country)	<u>28 APRIL 2000</u> ✓ (Day/Mon/Year Filed)	<u>XX</u> Yes ___ No
_____ (Number)	_____ (Country)	_____ (Day/Mon/Year Filed)	___ Yes ___ No
_____ (Number)	_____ (Country)	_____ (Day/Mon/Year Filed)	___ Yes ___ No

We hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, we acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

FULL NAME OF INVENTOR	LAST NAME <b>TRAUDT</b>	FIRST NAME <b>MICHAEL</b>	MIDDLE NAME
RESIDENCE & CITIZENSHIP	CITY <b>BROOKFIELD</b>	STATE OR COUNTRY <b>CONNECTICUT</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>17 MOUNTAINVIEW DRIVE</b>	CITY & STATE <b>BROOKFIELD, CONNECTICUT</b>	ZIP CODE <b>06804</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001

**MICHAEL TRAUDT**

FULL NAME OF INVENTOR	LAST NAME <b>ATTAR</b>	FIRST NAME <b>PAUL</b>	MIDDLE NAME <b>S.</b>
RESIDENCE & CITIZENSHIP	CITY <b>HAWTHORNE</b>	STATE OR COUNTRY <b>NEW JERSEY</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>23 METRO VISTA DRIVE</b>	CITY & STATE <b>HAWTHORNE, NEW JERSEY</b>	ZIP CODE <b>07506</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001

**PAUL S. ATTAR**

FULL NAME OF INVENTOR	LAST NAME <b>MORELLI- ABRAMS</b>	FIRST NAME <b>ISABELLA</b>	MIDDLE NAME <b>L.</b>
RESIDENCE & CITIZENSHIP	CITY <b>STONY POINT</b>	STATE OR COUNTRY <b>NEW YORK</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>516 WILLOW GROVE ROAD</b>	CITY & STATE <b>STONY POINT, NEW YORK</b>	ZIP CODE <b>10980</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001

**ISABELLA L. MORELLI-ABRAMS**

# DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Docket No. 550.0122USQ1

As below named inventors, we hereby declare that:

Our residences, post office addresses and citizenships are as stated below next to our respective names.

We believe we are the original, and first joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## **METHOD OF IMPROVING THE AESTHETIC APPEARANCE OF EPITHELIA**

the specification of which

(check one) \_\_\_\_\_ is attached hereto.

XXX was filed on April 28, 2000 as Application Serial No. 10/018,128 and was amended on \_\_\_\_\_ (if applicable).

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

We acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to us to be material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate(s) listed below and have also identified below any foreign application(s) for patent or inventor's certificate(s) having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>	<u>Priority Claimed</u>
<u>PCT/US00/11529</u> (Number)	<u>PCT</u> (Country)
<u>28 APRIL 2000</u> (Day/Mon/Year Filed)	<u>XX</u> Yes ___ No
_____ (Number)	_____ (Country)
_____ (Day/Mon/Year Filed)	___ Yes ___ No
_____ (Number)	_____ (Country)
_____ (Day/Mon/Year Filed)	___ Yes ___ No

We hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, we acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:



09/301,570  
(Application Serial No.)

29 APRIL 1999  
(Filing Date)

Abandoned  
(Status - patent, pend., abandon.)

(Application Serial No.)

(Filing Date)

(Status - patent, pend., abandon.)

POWER OF ATTORNEY: As named inventors, we hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

NAMES	REGISTRATION NUMBERS
Charles N.J. Ruggiero	<u>28,468</u>
Paul D. Greeley	<u>31,019</u>

SEND CORRESPONDENCE TO:	DIRECT TELEPHONE CALLS TO:
<u>Charles N.J. Ruggiero</u> <u>Ohlandt, Greeley, Ruggiero &amp; Perle, L.L.P.</u> <u>One Landmark Square, 10th Floor</u> <u>Stamford, Connecticut 06901-2682</u>	Charles N.J. Ruggiero, Esq. Telephone: <u>(203) 327-4500</u> Telefax: <u>(203) 327-6401</u>

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF INVENTOR	LAST NAME <b>MARTIN</b>	FIRST NAME <b>DENNIS</b>	MIDDLE NAME <b>M.</b>
RESIDENCE & CITIZENSHIP	CITY <b>CORNWALL</b>	STATE OR COUNTRY <b>NEW YORK</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>8 TENNEY LANE</b>	CITY & STATE <b>CORNWALL, NEW YORK</b>	ZIP CODE <b>12518</b>

Inventor's signature DENNIS M. MARTIN Date                     , 2001

# DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Docket No. 550.0122USQ1

As below named inventors, we hereby declare that:

Our residences, post office addresses and citizenships are as stated below next to our respective names.

We believe we are the original, and first joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## **METHOD OF IMPROVING THE AESTHETIC APPEARANCE OF EPITHELIA** ✓

the specification of which

(check one) ☐ is attached hereto.

XXX was filed on April 28, 2000 as Application Serial No. 10/018,128 ✓  
and was amended on \_\_\_\_\_ (if applicable).

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

We acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to us to be material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56.

We hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate(s) listed below and have also identified below any foreign application(s) for patent or inventor's certificate(s) having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>	<u>Priority Claimed</u>
<u>PCT/US00/11529</u> ✓ (Number)	<u>PCT</u> (Country)
<u>28 APRIL 2000</u> ✓ (Day/Mon/Year Filed)	<u>XX</u> Yes <input type="checkbox"/> No
_____ (Number)	_____ (Country)
_____ (Day/Mon/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No
_____ (Number)	_____ (Country)
_____ (Day/Mon/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No

We hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, we acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

09/301,570 ✓  
(Application Serial No.)

29 APRIL 1999 ✓  
(Filing Date)

Abandoned  
(Status - patent, pend., abandon.)

(Application Serial No.)

(Filing Date)

(Status - patent, pend., abandon.)

POWER OF ATTORNEY: As named inventors, we hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

NAMES	REGISTRATION NUMBERS
Charles N.J. Ruggiero	<u>28.468</u>
Paul D. Greeley	<u>31.019</u>

SEND CORRESPONDENCE TO:	DIRECT TELEPHONE CALLS TO:
Charles N.J. Ruggiero <u>Ohlandt, Greeley, Ruggiero &amp; Perle, L.L.P.</u> <u>One Landmark Square, 10th Floor</u> <u>Stamford, Connecticut 06901-2682</u>	Charles N.J. Ruggiero, Esq. Telephone: <u>(203) 327-4500</u> Telefax: <u>(203) 327-6401</u>

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF INVENTOR	LAST NAME <b>MARTIN</b>	FIRST NAME <b>DENNIS</b>	MIDDLE NAME <b>M.</b>
RESIDENCE & CITIZENSHIP	CITY <b>CORNWALL</b>	STATE OR COUNTRY <b>NEW YORK</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>8 TENNEY LANE</b>	CITY & STATE <b>CORNWALL, NEW YORK</b>	ZIP CODE <b>12518</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001  
**DENNIS M. MARTIN**

09/301,570  
(Application Serial No.)

29 APRIL 1999  
(Filing Date)

Abandoned  
(Status - patent, pend., abandon.)

(Application Serial No.)

(Filing Date)

(Status - patent, pend., abandon.)

POWER OF ATTORNEY: As named inventors, we hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

NAMES	REGISTRATION NUMBERS
Charles N.J. Ruggiero	<u>28,468</u>
Paul D. Greeley	<u>31,019</u>

SEND CORRESPONDENCE TO:	DIRECT TELEPHONE CALLS TO:
<u>Charles N.J. Ruggiero</u> <u>Ohlandt, Greeley, Ruggiero &amp; Perle, L.L.P.</u> <u>One Landmark Square, 10th Floor</u> <u>Stamford, Connecticut 06901-2682</u>	<u>Charles N.J. Ruggiero, Esq.</u> <u>Telephone: (203) 327-4500</u> <u>Telefax: (203) 327-6401</u>

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF INVENTOR	LAST NAME <u>MARTIN</u>	FIRST NAME <u>DENNIS</u>	MIDDLE NAME <u>M.</u>
RESIDENCE & CITIZENSHIP	CITY <u>CORNWALL</u> NY	STATE OR COUNTRY <u>NEW YORK</u>	CITIZENSHIP <u>U.S.</u> ✓
POST OFFICE ADDRESS	P.O. ADDRESS <u>8 TENNEY LANE</u>	CITY & STATE <u>CORNWALL, NEW YORK</u>	ZIP CODE <u>12518</u>

Inventor's signature

Dennis M. Martin  
DENNIS M. MARTIN

Date

11/21/01

, 2001

2-00

FULL NAME OF INVENTOR	LAST NAME <b>TRAUDT</b>	FIRST NAME <b>MICHAEL</b>	MIDDLE NAME
RESIDENCE & CITIZENSHIP	CITY <b>BROOKFIELD</b> <i>CT</i>	STATE OR COUNTRY <b>CONNECTICUT</b>	CITIZENSHIP <b>U.S.</b> ✓
POST OFFICE ADDRESS	P.O. ADDRESS <b>17 MOUNTAINVIEW DRIVE</b>	CITY & STATE <b>BROOKFIELD, CONNECTICUT</b>	ZIP CODE <b>06804</b>

Inventor's signature

*Michael Traudt*

**MICHAEL TRAUDT**

Date November 16, 2001

3-00

FULL NAME OF INVENTOR	LAST NAME <b>ATTAR</b>	FIRST NAME <b>PAUL</b>	MIDDLE NAME <b>S.</b>
RESIDENCE & CITIZENSHIP	CITY <b>HAWTHORNE</b> <i>CT</i>	STATE OR COUNTRY <b>NEW JERSEY</b>	CITIZENSHIP <b>U.S.</b> ✓
POST OFFICE ADDRESS	P.O. ADDRESS <b>23 METRO VISTA DRIVE</b>	CITY & STATE <b>HAWTHORNE, NEW JERSEY</b>	ZIP CODE <b>07506</b>

Inventor's signature

*Paul S. Attar*

**PAUL S. ATTAR**

Date 11/5, 2001

FULL NAME OF INVENTOR	LAST NAME <b>MORELLI-ABRAMS</b>	FIRST NAME <b>ISABELLA</b>	MIDDLE NAME <b>L.</b>
RESIDENCE & CITIZENSHIP	CITY <b>STONY POINT</b>	STATE OR COUNTRY <b>NEW YORK</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>516 WILLOW GROVE ROAD</b>	CITY & STATE <b>STONY POINT, NEW YORK</b>	ZIP CODE <b>10980</b>

Inventor's signature

**ISABELLA L. MORELLI-ABRAMS**

Date \_\_\_\_\_, 2001

FULL NAME OF INVENTOR	LAST NAME <b>TRAUDT</b>	FIRST NAME <b>MICHAEL</b>	MIDDLE NAME
RESIDENCE & CITIZENSHIP	CITY <b>BROOKFIELD</b>	STATE OR COUNTRY <b>CONNECTICUT</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>17 MOUNTAINVIEW DRIVE</b>	CITY & STATE <b>BROOKFIELD, CONNECTICUT</b>	ZIP CODE <b>06804</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001

**MICHAEL TRAUDT**

FULL NAME OF INVENTOR	LAST NAME <b>ATTAR</b>	FIRST NAME <b>PAUL</b>	MIDDLE NAME <b>S.</b>
RESIDENCE & CITIZENSHIP	CITY <b>HAWTHORNE</b>	STATE OR COUNTRY <b>NEW JERSEY</b>	CITIZENSHIP <b>U.S.</b>
POST OFFICE ADDRESS	P.O. ADDRESS <b>23 METRO VISTA DRIVE</b>	CITY & STATE <b>HAWTHORNE, NEW JERSEY</b>	ZIP CODE <b>07506</b>

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_, 2001

**PAUL S. ATTAR**

4-00

FULL NAME OF INVENTOR	LAST NAME <u><b>MORELLI- ABRAMS</b></u>	FIRST NAME <u><b>ISABELLA</b></u>	MIDDLE NAME <u><b>L.</b></u>
RESIDENCE & CITIZENSHIP	CITY <u><b>STONY POINT</b></u> <i>NY</i>	STATE OR COUNTRY <b>NEW YORK</b>	CITIZENSHIP <b>U.S.</b> ✓
POST OFFICE ADDRESS	P.O. ADDRESS <b>516 WILLOW GROVE ROAD</b>	CITY & STATE <b>STONY POINT, NEW YORK</b>	ZIP CODE <b>10980</b>

Inventor's signature *Isabella L. Morelli-Abrams* Date *November 8*, 2001  
**ISABELLA L. MORELLI-ABRAMS**